

# Practical Work 1

## Rigid Transformation

This practical work is designed to illustrate rigid transformation, consisting of a rotation and a translation in a 3D Euclidean space in Cartesian coordinates.

### Preparation

We're using the Python language and the [Matplotlib library](#). The Matplotlib library can be installed with the command:

```
pip install matplotlib
```

or for conda installation:

```
conda install -c conda-forge matplotlib
```

The Matplotlib library displays geometric rendering in an independent interactive window. Depending on the Python environment, this window may be rendered as a frozen image, preventing user interaction. To correct this problem, here are a few solutions:

#### Jupyter Notebook:

Execute following code within the Jupyter Notebook:

```
%matplotlib qt
```

#### PyCharm

Go to Settings / Tool / Python Plot and uncheck the option Show plots in tool windows.

#### Spyder

Go to Tools / Preferences / IPython console / Graphics / Backend:Inline and change "Inline" to "Automatic". Click OK button and restart the IDE.

## Getting started with Matplotlib

The Matplotlib library enables to display 2D or 3D geometries. The following code display an empty 3D rendering with

```
import matplotlib.pyplot as plt

def main():
    # Initialize a new Plotting window
    plt.figure(figsize=(10, 10))

    # Initializing 3D capabilities
    axes = plt.axes(projection="3d")

    # Setting axis properties
    axes.set_xlim(-10, 10) # X Axis graduation
    axes.set_ylim(-10, 10) # Y Axis graduation
    axes.set_zlim(-10, 10) # Z Axis graduation

    axes.set_xlabel('X') # X Axis label
    axes.set_ylabel('Y') # Y Axis label
    axes.set_zlabel('Z') # Z Axis label

    axes.xaxis.label.set_color('red') # X Axis color
    axes.yaxis.label.set_color('green') # X Axis color
    axes.zaxis.label.set_color('blue') # X Axis color

    axes.tick_params(axis='x', colors='red') # X Axis graduation color
    axes.tick_params(axis='y', colors='green') # X Axis graduation color
    axes.tick_params(axis='z', colors='blue') # X Axis graduation color

    # Display the 3D plotting window
    plt.show()

if __name__ == "__main__":
    main()
```

### Exercise 1

Using the code above, check that the Matplotlib successfully display an empty 3D chart.

## Drawing points and lines

Matplotlib enable to draw simple primitives like points and lines.

### Point

The drawing of a point with  $(x, y, z)$  coordinates is made by the code:

```
plt.plot(x, y, z, marker='m', color='c')
```

where:

- $m$  is the type of the marker ('o' for round, '+' for right cross, 'x' for cross)
- $c$  is the point color ('red', 'green', 'blue', ...)

### Line

The drawing of a line between two points  $(x_1, y_1, z_1)$  and  $(x_2, y_2, z_2)$  is made by the code:


```
plt.plot([x1, x2],[ y1, y2],[ z1, z2], color='c', linestyle='s')
```

where :

- $c$  is the line color ('red', 'green', 'blue', ...)
- $s$  is the line style ('solid', 'dashed', 'dashdot' or 'dotted')

### Exercise 2

Using point and line drawing functions, draw a 3D referential like the figure below. The referential lines respectively have to be red for X axis, green for Y axis and blue for Z axis. Positive demi axis have to be represented with solid lines, negative demi axis have to be represented with dashed lines.



## Working with points

For the rest of the work, 3D points are represented as Python tuples  $(x, y, z)$ .

$$p = (x, y, z)$$

create a point  $p$  where:

$$p[0] = x$$

$$p[1] = y$$

$$p[2] = z$$

We are now focusing on 3D point transformation implementation and display.

## Translation

Let  $P = (x, y, z)$  a 3D point. A translation is an application, denoted  $T(\alpha, \beta, \gamma)(P)$  that add values  $\alpha, \beta$  and  $\gamma$  to the coordinates of  $P$ . More formally:

$$T(\alpha, \beta, \gamma)(P) = (x + \alpha, y + \beta, z + \gamma)$$

### Exercice 3

Write a function `translate_point(point, alpha, beta, gamma)` that takes in parameter a point represented by a tuple  $(x, y, z)$  and that return a tuple that represents the translated point along vector  $(\alpha, \beta, \gamma)$ .

Test the function `translate` by displaying the point  $(4.0, 3.0, 2.0)$  and by displaying the result of the translation along vector  $(0.0; 1.0, 1.0)$ .

## Rotation

Let  $P = (x, y, z)$  a 3D point. A rotation is an application, denoted  $R_i(\theta)(P)$  that rotate the point  $P$  around the axis  $i$  by an angle  $\theta$ . More formally, for a 3D Euclidean space:

The rotation  $R_x(\omega)(P)$  around X axis by an angle  $\omega$  is defined such as:

$$P_r = R_x(\omega)(P) = (x_r, y_r, z_r) \text{ with } \begin{cases} x_r = x \\ y_r = y \cos(\omega) - z \sin(\omega) \\ z_r = y \sin(\omega) + z \cos(\omega) \end{cases}$$

The rotation  $R_y(\varphi)(P)$  around Y axis by an angle  $\varphi$  is defined such as:

$$P_r = R_y(\varphi)(P) = (x_r, y_r, z_r) \text{ with } \begin{cases} x_r = x \cos(\varphi) + z \sin(\varphi) \\ y_r = y \\ z_r = z \cos(\varphi) - x \sin(\varphi) \end{cases}$$

The rotation  $R_z(\kappa)(P)$  around Z axis by an angle  $\kappa$  is defined such as:

$$P_r = R_z(\kappa)(P) = (x_r, y_r, z_r) \text{ with } \begin{cases} x_r = x \cos(\kappa) - y \sin(\kappa) \\ y_r = x \sin(\kappa) + y \cos(\kappa) \\ z_r = z \end{cases}$$

## Exercice 4

Write a function `rot_x_point(point, omega)` that takes in parameter a point represented by a tuple  $(x, y, z)$  and returns the tuple  $(x_r, y_r, z_r)$  that represents the rotated point around X axis by an angle  $\omega$ .

Test the function by displaying the point  $(4.0, 4.0, 4.0)$  as a black circle and displaying the result of its rotation by an angle of  $\frac{\pi}{4}$  as a red circle.

## Exercice 5

Write a function `rot_y_point(point, phi)` that takes in parameter a point represented by a tuple  $(x, y, z)$  and returns the tuple  $(x_r, y_r, z_r)$  that represents the rotated point around Y axis by an angle  $\phi$ .

Test the function by displaying the point  $(4.0, 4.0, 4.0)$  as a black circle and displaying the result of its rotation by an angle of  $\frac{\pi}{4}$  as a green circle.

## Exercice 6

Write a function `rot_z_point(point, kappa)` that takes in parameter a point represented by a tuple  $(x, y, z)$  and returns the tuple  $(x_r, y_r, z_r)$  that represents the rotated point around Z axis by an angle  $\kappa$ .

Test the function by displaying the point  $(4.0, 4.0, 4.0)$  as a black circle and displaying the result of its rotation by an angle of  $\frac{\pi}{4}$  as a blue circle.

The global rotation of a point within a 3D space is obtained by applying the three rotations around the X, Y and Z axis. Let  $P = (x, y, z)$  a 3D point, the rotation of  $P$  around the X, Y and Z axis by the angles  $\omega, \varphi, \kappa$  is such that:

$$P_r = R_x(\omega)R_y(\varphi)R_z(\kappa)(P) = (x_r, y_r, z_r)$$

With:

$$x_r = x \cos(\varphi) \cos(\kappa) + y(\sin(\omega) \sin(\varphi) \cos(\kappa) - \cos(\omega) \sin(\kappa)) + z(\cos(\omega) \sin(\varphi) \cos(\kappa) + \sin(\omega) \sin(\kappa))$$

$$y_r = x \cos(\varphi) \sin(\kappa) + y(\sin(\omega) \sin(\varphi) \sin(\kappa) + \cos(\omega) \cos(\kappa)) + z(\cos(\omega) \sin(\varphi) \sin(\kappa) - \sin(\omega) \cos(\kappa))$$

$$z_r = -x \sin(\varphi) + y \sin(\omega) \cos(\varphi) + z \cos(\omega) \cos(\varphi)$$

## Exercice 7

Write a function `rot_point(point, omega, phi, kappa)` that takes in parameter a point represented by a tuple  $(x, y, z)$  and returns the tuple  $(x_r, y_r, z_r)$  that represents the rotated point around X, Y and Z axis by the angles  $\omega, \phi, \kappa$  respectively.

Test the function by displaying the point  $(4.0, 4.0, 4.0)$  as a black circle and displaying the result of its rotation by three angles of  $\frac{\pi}{4}$  as an orange right cross.

Ensure that when using only one angle value (by setting others to 0), the behavior of `rot_point` is the same as `rot_x_point`, `rot_y_point` and `rot_z_point`.

Rotation can be represented using function composition. Rotation of a point P around the axis X, Y and Z can also be represented by:

$$R_z(\omega) \circ R_y(\varphi) \circ R_x(\kappa)(P)$$

## Exercise 8

Write a function `rot_point_comp(point, omega, phi, kappa)` that takes in parameter a point represented by a tuple  $(x, y, z)$  and returns the tuple  $(x_r, y_r, z_r)$  that represents the rotated point around X, Y and Z axis by the angles  $\omega, \varphi, \kappa$  respectively.


The function `rot_point_comp` has to use functions `rot_x_point`, `rot_y_point` and `rot_z_point` to perform the rotation.

Test the function by displaying the point  $(4.0, 4.0, 4.0)$  as a black circle and displaying the result of its rotation by three angles of  $\frac{\pi}{4}$  as a violet cross.

Compare the use of both functions `rot_point` and `rot_point_comp` by rotating the same point using the same angles.

## Working with shape

For the rest of the work, a cube is represented as Python array of 8 points corresponding to its vertices.



according to the figure below, a cube of size  $s$  is defined by the following array:

```
[(-s, -s, -s), (s, -s, -s), (-s, s, -s), (s, s, -s), (-s, -s, s), (s, -s, s), (-s, s, s), (s, s, s)]
```

1            2            3            4            5            6            7            8


## Exercise 9

Write a function `cube(size)` that takes in parameter a size and create a cube represented by an array of 8 tuples corresponding to its vertices. The vertices order has to respect the figure above.

## Exercice 10

Write a function `display_cube(vertices)` that take in parameter an array of tuples that represent the vertices of a cube and that display the cube within the 3D environment.

Each edge of the cube has to be colored with the same color as its parallel axis (see image below).



## Translation

Translating a shape can be done by translating all its vertices.

### Exercice 11

Write a function `translate_cube(vertices, alpha, beta, gamma)` that takes in parameter an array of tuples that represent the vertices of a cube and that return an array of tuples that represent the vertices of the translated cube along vector  $(\alpha, \beta, \gamma)$ .

Test the function `translate_cube` by displaying the result of the translation of a cube of size 3.0 along vector  $(1.0; 2.0, 3.0)$ .

## Rotation

Rotating a shape can be done by rotating all its vertices.

### Exercice 12

Write a function `rotate_cube(vertices, omega, phi, kappa)` that takes in parameter an array of tuples that represent the vertices of a cube and three rotation angles  $\omega$ ,  $\phi$ ,  $\kappa$  and that rotate the cube according to the given angles.

Test the function `rotate_cube` by displaying the result of the rotation of a cube of size 3.0 for the angles  $\omega = \frac{\pi}{4}$ ,  $\phi = \frac{\pi}{3}$  and  $\kappa = \frac{\pi}{2}$ .